

双列满装圆柱滚子轴承

型号	基本尺寸(mm)					基本额定载荷(kN)		极限转速(rpm)		Abutment and fillet dimensions(mm)			重量(kg)
	d	D	B	r 1.2min	r3.4min	Cr	Cor	Grease	Oil	da max	Da max	ra max	Refer
NNC4920V	100	140	40	1.1	194	194	400	950	2000	106.5	133.5	1	2
NNCL4920V	100	140	40	1.1	194	194	400	950	2000	106.5	133.5	1	2
NNCF4920V	100	140	40	1.1	194	194	400	950	2000	106.5	133.5	1	2
NNCF5020V	100	150	67	1.5	391	391	680	950	2000	108	142	1.5	4.05
NNC4922V	110	150	40	1.1	201	201	430	900	1900	116.5	143.5	1	2.15
NNCL4922V	110	150	40	1.1	201	201	430	900	1900	116.5	143.5	1	2.15
NNCF4922V	110	150	40	1.1	201	201	430	900	1900	116.5	143.5	1	2.15
NNCF5022V	110	170	80	2	528	528	930	850	1800	119	161	2	6.6
NNCF4924V	120	165	45	1.1	224	224	480	800	1700	126.5	158.5	1	2.9
NNC4924V	120	165	45	1.1	224	224	480	800	1700	126.5	158.5	1	2.9
NNCL4924V	120	165	45	1.1	224	224	480	800	1700	126.5	158.5	1	2.9
NNCF5024V	120	180	80	2	561	561	1020	800	1700	129	171	2	7.1
NNC4926V	130	180	50	1.5	255	255	530	750	1600	138	172	1.5	3.9
NNCL4926V	130	180	50	1.5	255	255	530	750	1600	138	172	1.5	3.9
NNCF4926V	130	180	50	1.5	255	255	530	750	1600	138	172	1.5	3.91
NNCF5026V	130	200	95	2	704	704	1370	700	1500	139	191	2	11
NNC4928V	140	190	50	1.5	264	264	570	700	1500	148	182	1.5	4.15
NNCL4928V	140	190	50	1.5	264	264	570	700	1500	148	182	1.5	4.15
NNCF4928V	140	190	50	1.5	264	264	570	700	1500	148	182	1.5	4.16
NNCF5028CV	140	210	95	2	737	737	1460	670	1400	149	201	2	11.5
NNC4830V	150	190	40	1.1	233	233	585	700	1500	156.5	183.5	1	2.9
NNCL4830V	150	190	40	1.1	233	233	585	700	1500	156.5	183.5	1	2.9
NNC4930V	150	210	60	2	380	380	850	670	1400	159	201	2	6.7
NNCL4930V	150	210	60	2	380	380	850	670	1400	159	201	2	6.7
NNCF4930V	150	210	60	2	380	380	850	670	1400	159	201	2	6.71
NNCF5030V	150	225	100	2.1	842	842	1660	630	1300	161	214	2	14
NNCF4832V	160	200	40	1.1	242	242	620	670	1400	166.5	193.5	1	3.05
NNC4832V	160	200	40	1.1	242	242	620	670	1400	166.5	193.5	1	3.05

双列满装圆柱滚子轴承

NNCL4832V	160	200	40	1.1	242	242	620	670	1400	166.5	193.5	1	3.05
NNCF4932V	160	220	60	2	396	396	900	630	1300	169	211	2	7